
Linear Pendant Lamp

"The Linear Lamp Series is designed from the idea of creating smaller atmospheres through modern light, bringing a sense of intimacy to larger spaces. With their elegant expression, subtle details and inherent functionality, the designs create space for both being and working on your own as well as making for a friendly environment when in the company of others. Use the Linear Lamp Series in any space in need of modern, functional lighting."



— Thomas Bentzen

Designed by Thomas Bentzen / 2020

About the designer Thomas Bentzen, former Head of Design at Muuto, started his own studio in 2010. Bentzen's

designs are characterized by simplicity, rationality and functionality — always firmly rooted in the Danish design tradition, material knowledge, craftsmanship and rational industrial manufacturing processes. His work continues to receive international recognition at fairs and exhibitions all over

ne world.

Environment Indoor

Country of Production China

Preassembled Yes.

Description The Linear Pendant Lamp is designed to create smaller atmospheres within larger spaces. The

design features elegant lines and subtle details alongside its inherent functionality, making for a

 $modern, functional \ light \ for \ any \ space.$

Material Lamphead in pressure-die casted and extruded, powder coated aluminum. Stem in powder coated

steel. Diffuser in polycarbonate. PVC cord.

Cleaning & Care Clean with soft dry cloth only. Always switch off electricity supply before cleaning.

Cord length 400 cm / 157.5"

Light source included 169,2 cm, 87,2 cm: Yes

Ceiling Cap included 169,2 cm, 87,2 cm: Yes

Dimmable function No.



Linear Pendant Lamp

Dimensions

169,2 cm

Length: 169,2 cm / 66.6" Height: 5,4 cm / 2.1" Width: 10,7 cm / 4.2" Cord Length: 400 cm / 157.5"



87,2 cm

 Length:
 87,2 cm/34.3"

 Height:
 5,4 cm/2.1"

 Width:
 10,7 cm/4.2"

 Cord Length:
 400 cm/157.5"



Ready-to-ship

Black Grey

Risk Group

Lamp rating

169,2 cm 87,2 cm 220-240V Voltage 220-240V Frequency 50/60Hz 50/60Hz IP Rating IP20 IP20 Classification Class II Class II Integrated, non-Integrated, non-Socket replaceable LEDs replaceable LEDs

Light source specification

169,2 cm 87,2 cm

Except

replaceable LED replaceable LED 37,7W 20,3W Watt 1060 lm Lumen 1880 lm Lumen Maintenance 48.000h 48.000h Kelvin 3.000K 3.000K CRI 90 90 Yes Dimmable Yes

1 x Integrated, non-


1 x Integrated, non-

Except



Linear Pendant Lamp

Energy Label



Tests, Labels δ Certifications

Electromagnetic Compatibilty Electromagnetic Compatibility (EMC)

Safety & Regulations

CCC ECO Design Directive

Low Voltage Directive 2014/35 EU (LVD)

REACH

Restriction of Hazardous Substances Directive (RoHs) Waste of Electronic and Electrical Equipment (WEEE)







Explore Assets

DOWNLOADSITE

